miralbueno

O T O M O T I V

tractor, forklift, home & garden vehicles and movers seats



GRUP miralbueno OTOMOTİV

www.miralbueno.com.tr



TÜRK PATENT
TÜRK PATENT VE MARKA KURUMU

MARKA YENİLEME BELGESİ

No: 2012 59148 - Ticaret

miralbueno

Marka Sahibi

MİRALBUENO OTOMOTİV YAN. SANAYİ LTD. ŞTİ.

Mal / Hizmet Sınıfları

12

Bu marka, 6769 sayılı Sınai Mülkiyet Kanunu kapsamında,
29.06.2012 tarihinde tescil edilmiş olup,
29.06.2022 tarihinden itibaren 10 yıl süreyle yenilenmiştir.

Cemil BAŞPINAR
Kurum Başkan V.

GRUP MİRALBUENO OTOMOTİV

IQR international

CERTIFICATE

MİRALBUENO OTOMOTİV YAN SANAYİ LİMİTED ŞİRKETİ

ÇALI MAHALLESİ 34. (410) SOKAK NO:1
NİLÜFER / BURSA / TÜRKİYE

Has been assessed and found to comply with the requirements of:
Denetlenmiş ve aşağıdaki standardın gerekliliklerine uygunluğu görülmüştür:

ISO 45001:2018

The Occupational Health and Safety Management System is applicable to:
İş Sağlığı Ve Güvenliği Yönetim Sistemi:

MANUFACTURING AND SALES OF LIFTING AND TRANSPORT EQUIPMENT

KALDIRMA VE TAŞIMA EKİPMANLARININ İMALATI VE SATIŞI

Certificate Number: OHSMS-004043
Belge Numarası: OHSMS-004043

Initial Certification Date: 10.12.2025
İlk Belgelendirme Tarihi: 10.12.2025

Certification Period: 3 Years
Belgelendirme Periyodu: 3 Yıl

Certificate Validity Date: 09.12.2026
Belge Geçerlilik Tarihi: 09.12.2026

INTERNATIONAL IAF ACCREDITATION FORUM
IAS ACCREDITED Management Systems Certification Body MSCB-135
IQR

IQR Certification Approval

IQR INTERNATIONAL CERTIFICATION SERVICES LLC
8 The Green Suite A, Dover, Delaware 19901, USA
www.iqrcert.com | e-posta: info@iqrcert.com

IQR international

CERTIFICATE

MİRALBUENO OTOMOTİV YAN SANAYİ LİMİTED ŞİRKETİ

ÇALI MAHALLESİ 34. (410) SOKAK NO:1
NİLÜFER / BURSA / TÜRKİYE

Has been assessed and found to comply with the requirements of:
Denetlenmiş ve aşağıdaki standardın gerekliliklerine uygunluğu görülmüştür:

ISO 27001:2022

The Information Security Management System Is Applicable To:
Bilgi Güvenliği Yönetim Sistemi:

PROTECTION OF INFORMATION ASSETS OF RECORDS IN THE MANUFACTURE AND SALES OF LIFTING AND TRANSPORT EQUIPMENT

KALDIRMA VE TAŞIMA EKİPMANLARI İMALATI VE SATIŞINDAKİ KAYITLARIN BİLGİ VARLIKLARININ KORUNMASI
SoA Details: MRL/05.12.2022

Certificate Number: 2025/ISMS/002070
Belge Numarası: 2025/ISMS/002070

Initial Certification Date: 10.12.2025
İlk Belgelendirme Tarihi: 10.12.2025

Certification Period: 3 Years
Belgelendirme Periyodu: 3 Yıl

Certificate Validity Date: 09.12.2026
Belge Geçerlilik Tarihi: 09.12.2026

INTERNATIONAL IAF ACCREDITATION FORUM
IAS ACCREDITED Management Systems Certification Body MSCB-135
IQR

IQR Certification Approval

IQR INTERNATIONAL CERTIFICATION SERVICES LLC
8 The Green Suite A, Dover, Delaware 19901, USA
www.iqrcert.com | e-posta: info@iqrcert.com

CERTIFICATE

MIRALBUENO OTOMOTİV YAN SANAYİ LİMİTED ŞİRKETİ

ÇALI MAHALLESİ 34. (410) SOKAK NO:1
NİLÜFER / BURSA / TÜRKİYE

Has been assessed and found to comply with the requirements of:
Denetlenmiş ve aşağıdaki standardın gerekliliklerine uygunluğu görülmüştür:

ISO 9001:2015

The Quality Management System is applicable to:
Kalite Yönetim Sistemi:

MANUFACTURING AND SALES OF LIFTING AND TRANSPORT EQUIPMENT

KALDIRMA VE TAŞIMA EKİPMANLARI İMALATI VE SATIŞI

Certificate Number: QMS-006995
Belge Numarası: QMS-006995

Initial Certification Date: 27.03.2025
İlk Belgelendirme Tarihi: 27.03.2025

Certification Period: 3 Years
Belgelendirme Periyodu: 3 Yıl

Certificate Validity Date: 26.03.2027
Belge Geçerlilik Tarihi: 26.03.2027

IQR Certification Approval

IQR INTERNATIONAL CERTIFCATION SERVICES LLC
8 The Green Suite A, Dover, Delaware 19901, USA
www.iqrcert.com | e-posta: info@iqrcert.com

CERTIFICATE

MIRALBUENO OTOMOTİV YAN SANAYİ LİMİTED ŞİRKETİ

ÇALI MAHALLESİ 34. (410) SOKAK NO:1
NİLÜFER / BURSA / TÜRKİYE

Has been assessed and found to comply with the requirements of:
Denetlenmiş ve aşağıdaki standardın gerekliliklerine uygunluğu görülmüştür:

ISO 10002:2018

The Customer Satisfaction and Complaint Management System is applicable to:
Müşteri Memnuniyeti ve Şikayet Yönetim Sistemi:

MANUFACTURING AND SALES OF LIFTING AND TRANSPORT EQUIPMENT

KALDIRMA VE TAŞIMA EKİPMANLARI İMALATI VE SATIŞI

Certificate Number: ISO-001216
Belge Numarası: ISO-001216

Initial Certification Date: 27.03.2025
İlk Belgelendirme Tarihi: 27.03.2025

Certification Period: 3 Years
Belgelendirme Periyodu: 3 Yıl

Certificate Validity Date: 26.03.2027
Belge Geçerlilik Tarihi: 26.03.2027

IQR Certification Approval

IQR INTERNATIONAL CERTIFICATION SERVICES LLC
8 The Green Suite A, Dover, Delaware 19901, USA
www.iqrcert.com | e-posta: info@iqrcert.com

CERTIFICATE

MİRALBUENO OTOMOTİV YAN SANAYİ LİMİTED ŞİRKETİ

ÇALI MAHALLESİ 34. (410) SOKAK NO:1
NİLÜFER / BURSA / TÜRKİYE

Has been assessed and found to comply with the requirements of:
Denetlenmiş ve aşağıdaki standardın gerekliliklerine uygunluğu görülmüştür:

ISO 14001:2015

The Environmental Management System is applicable to
Çevre Yönetim Sistemi:

MANUFACTURING AND SALES OF LIFTING AND TRANSPORT EQUIPMENT

KALDIRMA VE TAŞIMA EKİPMANLARININ İMALATI VE SATIŞI

Certificate Number: EMS-013030
Belge Numarası: EMS-013030

Initial Certification Date: 10.12.2025
İlk Belgelendirme Tarihi: 10.12.2025

Certification Period: 3 Years
Belgelendirme Periyodu: 3 Yıl

Certificate Validity Date: 09.12.2026
Belge Geçerlilik Tarihi: 09.12.2026


IQR Certification Approval

IQR INTERNATIONAL CERTIFICATION SERVICES LLC
8 The Green Suite A, Dover, Delaware 19901, USA
www.iqrcert.com | e-posta: info@iqrcert.com


















GRUP miralbueno
OTOMOTİV









GRUP miralbueno OTOMOTİV

RM 64 210

RM 64 210 Specifications	
High metal case	Cushion & Bacrest replaceable
Foldable & reclining backrest	Front 70° - Back 35°
Lumbar support	Level adjustable
Slide track stroke	180mm
Suspension type	Pneumatic
Shock absorber	Double tube thick absorber
Height working space	90 mm (130mm – 240mm)
Working voltage	12V / 24V
Fixation	Standart – Wide(260mm)


Accessories	
Safety Switch	2 pads / 3 pads / Button type
Seatbelt	Autoroll / Static
Armrest	Adjustable / Nonadjustable
Headrest	Adjustable / Nonadjustable
Cover	Leatherette / Cloth
Rotating Mech.	Mountable


CLOTH PVC



G Design

H Design





Gray cloth, armrests, headrest, seatbelt are optional

RM 64 200

RM 64 200 r360 Specifications	
High metal case	Cushion & bacrest replaceable
Foldable & reclining backrest	Front 70° - back 35°
Lumbar support	Level adjustable
Slide track stroke	180mm
Suspension type	Mechanic
Shock absorber	Double tube thick absorber
Height working space	75 mm (173mm – 248mm)
Weight adjustment	60 kg – 130 kg
Fixation	Standart – Wide(260mm)


Accessories	
Safety Switch	2 pads / 3 pads / button type
Seatbelt	Autoroll / static
Armrest	Adjustable / Nonadjustable
Headrest	Adjustable / Nonadjustable
Cover	Leatherette / Cloth
Rotating Mech.	Mountable


CLOTH PVC



G Design

H Design







Gray cloth, rotating mechanism, armrests, headrest, seatbelts are optional

RM 94 210

Accessories	
Safety Switch	2 pads / 3 pads / Button type
Seatbelt	Autoroll / Static
Armrest	Adjustable / Nonadjustable
Headrest	Adjustable
Cover	Cloth
Rotating Mech.	Mountable

RM 94 210 Specifications	
High metal case	Covers replaceable
Foldable & reclining backrest	Front 45° - Back 35°
Lumbar support	Level adjustable
Slide track stroke	180mm
Suspension type	Pneumatic
Shock absorber	Double tube thick absorber
Height working space	90 mm (130mm – 240mm)
Working voltage	12V / 24V
Fixation	Standart – Wide(260mm)









Armrests, headrest and seatbelt are optional

RM 94 200

Accessories	
Safety Switch	2 pads / 3 pads / button type
Seatbelt	Autoroll / static
Armrest	Adjustable / Nonadjustable
Headrest	Adjustable / Nonadjustable
Cover	Leatherette / Cloth
Rotating Mech.	Mountable

RM 94 200 Specifications	
High metal case	Cushion & bacrest replaceable
Foldable & reclining backrest	Front 45° - back 35°
Lumbar support	Level adjustable
Slide track stroke	180mm
Suspension type	Mechanic
Shock absorber	Double tube thick absorber
Height working space	75 mm (173mm – 248mm)
Weight adjustment	60 kg – 130 kg
Fixation	Standart – Wide(260mm)







Armrests, headrest and seatbelt are optional

RM 62 210

RM 62 210 Specifications	
Thick metal case	Cushion & Bacrest replaceable
Foldable & reclining backrest	Front 70° - Back 35°
Lumbar support	Level adjustable
Slide track stroke	180mm
Suspension type	Pneumatic
Shock absorber	Double tube thick absorber
Height working space	90 mm (130mm – 240mm)
Working voltage	12V / 24V
Fixation	Standart – Wide(260mm)


Accessories	
Safety Switch	2 pads / 3 pads / Button type
Seatbelt	Autoroll / Static
Armrest	Adjustable / Nonadjustable
Headrest	Adjustable / Nonadjustable
Cover	Leatherette / Cloth
Rotating Mech.	Mountable

CLOTH PVC



G Design

H Design



Armrests and headrest are optional

RM 62 200

RM 62 200 Specifications	
High metal case	Cushion & bacrest replaceable
Foldable & reclining backrest	Front 90° - back 35°
Lumbar support	Level adjustable
Slide track stroke	180mm
Suspension type	Mechanic
Shock absorber	Double tube thick absorber
Height working space	75 mm (173mm – 248mm)
Weight adjustment	60 kg – 130 kg
Fixation	Standart – Wide(260mm)


Accessories	
Safety Switch	2 pads / 3 pads / button type
Seatbelt	Autoroll / static
Armrest	Adjustable / Nonadjustable
Headrest	Adjustable / Nonadjustable
Cover	Leatherette / Cloth
Rotating Mech.	Mountable

CLOTH PVC



G Design

H Design




Armrests and headrest are optional


RM 66 210

Accessories	
Safety Switch	2 pads / 3 pads / Button type
Seatbelt	Autoroll / Static
Armrest	Adjustable / Nonadjustable
Headrest	Adjustable
Cover	Cloth
Rotating Mechanism	Mountable

CLOTH PVC

RM 66 210 Specifications	
Metal & Plastic Case	Cushion & bacrest replaceable
Foldable & reclining backrest	Front 45° - Back 35°
Lumbar support	Level adjustable
Slide track stroke	180mm
Suspension type	Pneumatic
Shock absorber	Double tube thick absorber
Height working space	90 mm (130mm – 240mm)
Working voltage	12V / 24V
Fixation	Standart – Wide(260mm)








Armrests are optional


RM 66 200

Accessories	
Safety Switch	2 pads / 3 pads / button type
Seatbelt	Autoroll / static
Armrest	Adjustable / Nonadjustable
Headrest	Adjustable / Nonadjustable
Cover	Leatherette / Cloth
Rotating Mechanism	Mountable

CLOTH PVC

RM 66 200 Specifications	
Metal & Plastic Case	Cushion & bacrest replaceable
Foldable & reclining backrest	Front 45° - back 35°
Lumbar support	Level adjustable
Slide track stroke	180mm
Suspension type	Mechanic
Shock absorber	Double tube thick absorber
Height working space	75 mm (173mm – 248mm)
Weight adjustment	60 kg – 130 kg
Fixation	Standart – Wide(260mm)







Armrests are optional


RM 81 210





RM 81 210 Specifications	
Metal case	Cushion & bacrest replaceable
Cushion mounting options	2 points 30mm distance to up
Backrest mounting options	2 points 30mm distance to front
Slide track stroke	180mm
Suspension type	Pneumatic
Shock absorber	Double tube thick absorber
Height working space	90 mm (130mm – 240mm)
Working voltage	12V / 24V
Fixation	Standart – Wide(260mm)

Accessories	
Safety Switch	2 pads / 3 pads
Seatbelt	Autoroll / Static
Armrest	Nonadjustable
Headrest	Adjustable
Cover	Leatherette / Cloth
Rotating Mech.	Mountable

CLOTH PVC







Armrests, headrest and seatbelt are optional


RM 81 200




RM 81 200 Specifications	
Metal case	Cushion & bacrest replaceable
Cushion mounting options	2 points 30mm distance to up
Backrest mounting options	2 points 30mm distance to front
Slide track stroke	180mm
Suspension type	Mechanic
Shock absorber	Double tube thick absorber
Height working space	75 mm (173mm – 248mm)
Weight adjustment	60 kg – 130 kg
Fixation	Standart – Wide(260mm)

Accessories	
Safety Switch	2 pads / 3 pads
Seatbelt	Autoroll / Static
Armrest	Nonadjustable
Headrest	Adjustable
Cover	Leatherette / Cloth
Rotating Mech.	Mountable

CLOTH PVC






Armrests, headrest and seatbelt are optional


RM 80 210

Accessories	
Safety Switch	2 pads / 3 pads
Seatbelt	Autoroll / Static
Armrest	Nonadjustable
Headrest	Nonadjustable
Cover	Leatherette / Cloth
Rotating Mechanism	Mountable

CLOTH PVC

RM 80 210 Specifications	
Metal case	Cushion & bacrest replaceable
Cushion mounting options	2 points 30mm distance to up
Backrest mounting options	2 points 30mm distance to front
Slide track stroke	180mm
Suspension type	Pneumatic
Shock absorber	Double tube thick absorber
Height working space	90 mm (130mm – 240mm)
Working voltage	12V / 24V
Fixation	Standart – Wide(260mm)








Armrests, headrest and seatbelt are optional


RM 80 200

Accessories	
Safety Switch	2 pads / 3 pads
Seatbelt	Autoroll / Static
Armrest	Nonadjustable
Headrest	Nonadjustable
Cover	Leatherette / Cloth
Rotating Mechanism	Mountable

CLOTH PVC

RM 80 200 Specifications	
Metal case	Cushion & bacrest replaceable
Cushion mounting options	2 points 30mm distance to up
Backrest mounting options	2 points 30mm distance to front
Slide track stroke	180mm
Suspension type	Mechanic
Shock absorber	Double tube thick absorber
Height working space	75 mm (173mm – 248mm)
Weight adjustment	60 kg – 130 kg
Fixation	Standart – Wide(260mm)







Armrests, headrest and seatbelt are optional


RM 700 210 DSG 99



RM 700 99 210 Specifications	
Metal seatpan case	Large thick cushion
Water drain hole	Optional
Slide track stroke	180mm
Suspension type	Pneumatic
Shock absorber	Double tube thick absorber
Height working space	90 mm (130mm – 240mm)
Working voltage	12V / 24V
Fixation	Standart – Wide(260mm)

Accessories	
Safety Switch	2 pads / 3 pads / Button type
Seatbelt	Autoroll / static
Armrest	Nonadjustable
Cover	Leatherette / Cloth
Rotating Mech.	Mountable

CLOTH PVC




RM 700 200 DSG 99



RM 700 99 200 Specifications	
Metal seatpan case	Large thick cushion
Water drain hole	Optional
Slide track stroke	180mm
Suspension type	Mechanic
Shock absorber	Double tube thick absorber
Height working space	75 mm (173mm – 248mm)
Weight adjustment	60 kg – 130 kg
Fixation	Standart – Wide(260mm)

Accessories	
Safety Switch	2 pads / 3 pads / Button type
Seatbelt	Autoroll / static
Armrest	Nonadjustable
Cover	Leatherette / Cloth
Rotating Mech.	Mountable

CLOTH PVC





RM 700 210 DSG98

Accessories	
Safety Switch	2 pads / 3 pads / Button type
Seatbelt	Autoroll / static
Armrest	Nonadjustable
Cover	Leatherette / Cloth
Rotating Mechanism	Mountable

CLOTH PVC

RM 700 98 210 Specifications	
Metal seatpan case	Large thick cushion
Slide track stroke	180mm
Suspension type	Pneumatic
Shock absorber	Double tube thick absorber
Height working space	90 mm (130mm – 240mm)
Working voltage	12V / 24V
Fixation	Standart – Wide(260mm)









RM 700 200 DSG 98

Accessories	
Safety Switch	2 pads / 3 pads / Button type
Seatbelt	Autoroll / static
Armrest	Nonadjustable
Cover	Leatherette / Cloth
Rotating Mechanism	Mountable

CLOTH PVC

700 98 200 Specifications	
Metal seatpan case	Large thick cushion
Slide track stroke	180mm
Suspension type	Mechanic
Shock absorber	Double tube thick absorber
Height working space	75 mm (173mm – 248mm)
Weight adjustment	60 kg – 130 kg
Fixation	Standart – Wide(260mm)








RM 600 210




RM 600 210 Specifications	
Metal seatpan case	Large thick cushion
Water drain hole	Optional
Slide track stroke	180mm
Suspension type	Pneumatic
Shock absorber	Double tube thick absorber
Height working space	90 mm (130mm – 240mm)
Working voltage	12V / 24V
Fixation	Standart – Wide(260mm)

Accessories	
Safety Switch	2 pads / 3 pads / Button type
Seatbelt	Autoroll / static
Armrest	Nonadjustable
Cover	Leatherette / Cloth
Rotating Mech.	Mountable

CLOTH PVC






RM 600 200




RM 600 200 Specifications	
Metal seatpan case	Large thick cushion
Water drain hole	Optional
Slide track stroke	180mm
Suspension type	Mechanic
Shock absorber	Double tube thick absorber
Height working space	75 mm (173mm – 248mm)
Weight adjustment	60 kg – 130 kg
Fixation	Standart – Wide(260mm)

Accessories	
Safety Switch	2 pads / 3 pads / Button type
Seatbelt	Autoroll / static
Armrest	Nonadjustable
Cover	Leatherette / Cloth
Rotating Mech.	Mountable

CLOTH PVC






SUPERBIGEN MOTIVE


RM 465 210

Accessories	
Safety Switch	2 pads / 3 pads / Button type
Seatbelt	Autoroll / static
Armrest	Nonadjustable
Cover	Leatherette / Cloth
Rotating Mechanism	Mountable

CLOTH PVC

RM 465 210 Specifications	
Metal seatpan case	Large thick cushion
Water drain hole	Optional
Slide track stroke	180mm
Suspension type	Pneumatic
Shock absorber	Double tube thick absorber
Height working space	90 mm (130mm – 240mm)
Working voltage	12V / 24V
Fixation	Standart – Wide(260mm)









RM 465 200

Accessories	
Safety Switch	2 pads / 3 pads / Button type
Seatbelt	Autoroll / static
Armrest	Nonadjustable
Cover	Leatherette / Cloth
Rotating Mechanism	Mountable

CLOTH PVC

RM 465 200 Specifications	
Metal seatpan case	Large thick cushion
Slide track stroke	180mm
Suspension type	Mechanic
Shock absorber	Double tube thick absorber
Height working space	75 mm (173mm – 248mm)
Weight adjustment	60 kg – 130 kg
Fixation	Standart – Wide(260mm)







RM 450 210

RM 450 210 Specifications	
Metal seatpan case	Large thin cushion
Water drain hole	Optional
Slide track stroke	180mm
Suspension type	Pneumatic
Shock absorber	Double tube thick absorber
Height working space	90 mm (130mm – 240mm)
Working voltage	12V / 24V
Fixation	Standart – Wide(260mm)

Accessories	
Safety Switch	2 pads / 3 pads / Button type
Seatbelt	Autoroll / static
Armrest	Nonadjustable
Cover	Leatherette / Cloth
Rotating Mech.	Mountable


CLOTH PVC






H Design

G Design





RM 450 200

RM 450 200 Specifications	
Metal seatpan case	Large thin cushion
Water drain hole	Optional
Slide track stroke	180mm
Suspension type	Mechanic
Shock absorber	Double tube thick absorber
Height working space	75 mm (173mm – 248mm)
Weight adjustment	60 kg – 130 kg
Fixation	Standart – Wide(260mm)

Accessories	
Safety Switch	2 pads / 3 pads / Button type
Seatbelt	Autoroll / static
Armrest	Nonadjustable
Cover	Leatherette / Cloth
Rotating Mech.	Mountable


CLOTH PVC






H Design

G Design







RM 460 210

Accessories	
Safety Switch	2 pads / 3 pads / Button type
Seatbelt	Autoroll / static
Armrest	Nonadjustable
Cover	Leatherette / Cloth
Rotating Mechanism	Mountable

CLOTH PVC

RM 460 210 Specifications	
Metal seatpan case	Narrow thick cushion
Water drain hole	Optional
Slide track stroke	180mm
Suspension type	Pneumatic
Shock absorber	Double tube thick absorber
Height working space	90 mm (130mm – 240mm)
Working voltage	12V / 24V
Fixation	Standart – Wide(260mm)








H Design


RM 460 200

Accessories	
Safety Switch	2 pads / 3 pads / Button type
Seatbelt	Autoroll / static
Armrest	Nonadjustable
Cover	Leatherette / Cloth
Rotating Mechanism	Mountable

CLOTH PVC

RM 460 200 Specifications	
Metal seatpan case	Narrow thick cushion
Slide track stroke	180mm
Suspension type	Mechanic
Shock absorber	Double tube thick absorber
Height working space	75 mm (173mm – 248mm)
Weight adjustment	60 kg – 130 kg
Fixation	Standart – Wide(260mm)







H Design


RM 35 ELT 200




RM 35 ELT 200 Specifications	
Metal case	Cushion & bacrest replaceable
Cushion	Elite thick
Slide track stroke	180mm
Suspension type	Mechanic
Shock absorber	Double tube thick absorber
Height working space	75 mm (173mm – 248mm)
Weight adjustment	60 kg – 130 kg
Fixation	Standart – Wide(260mm)

Accessories	
Safety Switch	2 pads / 3 pads
Seatbelt	Autoroll / static
Armrest	Nonadjustable
Cover	Leatherette / Cloth
Rotating Mech.	Mountable

CLOTH PVC





RM 30 ELT 200





Armrests are optional


RM 30 ELT 200 Specifications	
Metal case	Cushion & bacrest replaceable
Cushion	Elite thick
Slide track stroke	180mm
Suspension type	Mechanic
Shock absorber	Double tube thick absorber
Height working space	75 mm (173mm – 248mm)
Weight adjustment	60 kg – 130 kg
Fixation	Standart – Wide(260mm)

Accessories	
Safety Switch	2 pads / 3 pads / Button type
Seatbelt	Autoroll / static
Armrest	Nonadjustable
Cover	Leatherette / Cloth
Rotating Mech.	Mountable

CLOTH PVC








RM 210


Accessories	
Rotating Mechanism	Mountable

RM 210 Specifications	
Slide track kit	Optional (Stroke 180mm)
Suspension type	Pneumatic
Shock absorber	Double tube thick absorber
Height working space	90 mm (130mm – 240mm)
Working voltage	12V / 24V
Fixation	Standart – Wide(260mm)

Standard



Wide






Slide kit is optional

RM 200


Accessories	
Rotating Mechanism	Mountable

RM 200 Specifications	
Slide track kit	Optional (Stroke 180mm)
Suspension type	Mechanic
Shock absorber	Double tube thick absorber
Height working space	75 mm (173mm – 248mm)
Weight adjustment	60 kg – 130 kg
Fixation	Standart – Wide(260mm)

Standard



Wide





Slide kit is optional


RM 53 M


RM 53 M Specifications	
Metal & Plastic Case	Cushion & bacrest replaceable
Foldable & reclining backrest	Back 15°
Lumbar support	Level adjustable
Slide track stroke	180mm
Suspension type	Mechanic
Shock absorber	Single tube thick absorber
Height working space	60 mm
Weight adjustment	60 kg – 130 kg

Accessories	
Safety Switch	2 pads / 3 pads / button type
Seatbelt	Autoroll / static
Armrest	Adjustable / Nonadjustable
Cover	Leatherette / Cloth

CLOTH PVC







Armrests are optional


RM 52


RM 52 Specifications	
Metal case	Cushion & bacrest replaceable
Backrest angle	90°(normal)+15° to back
Lumbar support	Level adjustable
Slide track stroke	180mm
Suspension type	Mechanic(Spring)
Height working space	40 mm
Weight adjustment	60 kg – 130 kg


Accessories	
Safety Switch	2 pads / 3 pads / button type
Seatbelt	Autoroll / static
Armrest	Adjustable / Nonadjustable
Headrest	Adjustable / Nonadjustable
Cover	Leatherette / Cloth

CLOTH PVC










RM 57

Accessories	
Safety Switch	2 pads / 3 pads / Button type
Seatbelt	Autoroll / static
Armrest	Nonadjustable
Cover	Leatherette / Cloth
Rotating Mech.	Mountable

CLOTH PVC

RM 57 Specifications	
Metal case	Cushion & bacrest replaceable
Foldable & reclining backrest	Front 90° - back 35°
Slide track stroke	180mm






Armrests and seatbelt are optional


RM 300

Accessories	
Safety Switch	-
Seatbelt	Autoroll / static
Cover	Leatherette / Cloth
Rotating Mech.	Mountable

CLOTH PVC

RM 300 Specifications	
Metal compound type	Cushion & bacrest replaceable
Slide track stroke	180mm







RM 430 109





RM 430 109 Specifications

Deep metal case	Deep, large and thick cushion
Water drain holes	Optional
Folding Mechanism	180° foldable to front
Slide track stroke	160mm
Suspension type	Mechanic
Shock absorber	Single tube thick absorber

Accessories

Seatbelt	Autoroll / static
Cover	Leatherette





RM 4000




RM 4000 Specifications

Metal passenger seat	Polyurethane base & back
Reclining base	Reclinable on the use

Accessories

Seatbelt	Autoroll / static with brackets



Accessories

Seatbelt	Autoroll / static
Armrest	Nonadjustable
Cover	Leatherette

CLOTH PVC

RM 600 113 Specifications

Suspension type	Height adjustment
Metal seatpan case	X Large thick cushion
Water drain hole	Optional
Height adjustment	60mm
Weight adjustment	60kg - 130kg
Slide stroke	160mm
Shock absorber	Single tube thin absorber
Seatpan cushion	Replaceable
Fixation	Universal

RM 600 113



Accessories

Seatbelt	Autoroll / static
Armrest	Nonadjustable
Cover	Leatherette

CLOTH PVC

RM 600 110 Specifications

Multiangle suspension	3°-13°-24°-26° options
Suspension type	Spring and hydraulic
Metal seatpan case	Large thick cushion
Water drain hole	Optional
Weight adjustment	60kg - 130kg
Slide stroke	160mm
Shock absorber	Single tube thin absorber
Seatpan cushion	Replaceable
Fixation	Universal

RM 600 110



Accessories	
Seatbelt	Autoroll / static
Cover	Leatherette / Cloth
PVC design	Optional H & G design

CLOTH PVC

RM 20 105 Specifications	
Multiangle suspension	3°-13°-24°-26° options
Suspension type	Spring and hydraulic
Weight adjustment	60kg - 130kg
Slide stroke	160mm
Shock absorber	Single tube thin absorber
Backrest & base cushion	Replaceable
Fixation	Universal

RM 20 105



Accessories	
Seatbelt	Autoroll / static
Cover	Leatherette / Cloth

CLOTH PVC

RM 20 ELT 105 Specifications	
Multiangle suspension	3°-13°-24°-26° options
Suspension type	Spring and hydraulic
Weight adjustment	60kg - 130kg
Slide stroke	160mm
Shock absorber	Single tube thin absorber
Backrest & base cushion	Replaceable (Thick base)
Fixation	Universal

RM 20 ELT 105



RM 20 103



RM 20 103 specifications	
Suspension type	Weight adjustment
Suspension type	Spring and hydraulic
Height adjustment	60mm
Weight adjustment	60kg - 130kg
Slide stroke	160mm
Shock absorber	Single tube thin absorber
Backrest & base cushion	Replaceable
Fixation	Universal

Accessories	
Seatbelt	Autoroll / static
Cover	Leatherette / Cloth
PVC design	Optional H & G design

CLOTH PVC

RM 20 103 H



RM 20 103 H Specifications	
Suspension type	Weight adjustment
Suspension type	Spring and hydraulic
Height adjustment	60mm
Weight adjustment	60kg - 130kg
Seat feature	Foldable base cushion
Slide stroke	160mm
Shock absorber	Single tube thin absorber
Backrest & base cushion	Replaceable
Fixation	Universal

Accessories	
Seatbelt	Autoroll / static
Cover	Leatherette / Cloth
PVC design	Optional H & G design

CLOTH PVC

RM 30 103



Armrests are optional

RM 30 103 specifications	
Suspension type	Height adjustment
Suspension type	Spring and hydraulic
Height adjustment	60mm
Weight adjustment	60kg - 130kg
Slide stroke	160mm
Shock absorber	Single tube thin absorber
Backrest & base cushion	Replaceable
Fixation	Universal

Accessories	
Seatbelt	Autoroll / static
Cover	Leatherette / Cloth
PVC design	Optional H & G design

CLOTH PVC

RM 30 103 H



RM 30 103 H Specifications	
Suspension type	Height adjustment
Suspension type	Spring and hydraulic
Height adjustment	60mm
Weight adjustment	60kg - 130kg
Slide stroke	160mm
Shock absorber	Single tube thin absorber
Backrest & base cushion	Replaceable (Foldable base)
Fixation	Universal

Accessories	
Seatbelt	Autoroll / static
Cover	Leatherette / Cloth
PVC design	Optional H & G design

CLOTH PVC

Accessories	
Seatbelt	Autoroll / static
Cover	Leatherette / Cloth
PVC design	Optional H & G design

CLOTH PVC

RM 30 105 Specifications	
Multiangle suspension	3°-13°-24°-26° options
Suspension type	Spring and hydraulic
Base cushion	Narrow thin
Weight adjustment	60kg - 130kg
Slide stroke	160mm
Shock absorber	Single tube thin absorber
Backrest & base cushion	Replaceable
Fixation	Universal

RM 30 105



RM 30 ELT 105 Specifications	
Multiangle suspension	3°-13°-24°-26° options
Suspension type	Spring and hydraulic
Base cushion	Wide thick
Weight adjustment	60kg - 130kg
Slide stroke	160mm
Shock absorber	Single tube thin absorber
Backrest & base cushion	Replaceable (Thick base)
Fixation	Universal

RM 30 ELT 105



Armrests are optional

Accessories	
Seatbelt	Autoroll / static
Cover	Leatherette / Cloth
PVC design	Optional H & G design

CLOTH PVC

RM 30 S 105 Specifications	
Multiangle suspension	3°-13°-24°-26° options
Suspension type	Spring and hydraulic
Base cushion	Narrow thin
Weight adjustment	60kg - 130kg
Slide stroke	160mm
Shock absorber	Single tube thin absorber
Backrest & base cushion	Replaceable
Fixation	Universal

RM 35 S 105



Accessories	
Seatbelt	Autoroll / static
Cover	Leatherette / Cloth
PVC design	Optional H & G design

CLOTH PVC

RM 30 ELT 105 Specifications	
Multiangle suspension	3°-13°-24°-26° options
Suspension type	Spring and hydraulic
Base cushion	Wide thick
Weight adjustment	60kg - 130kg
Slide stroke	160mm
Shock absorber	Single tube thin absorber
Backrest & base cushion	Replaceable (Thick base)
Fixation	Universal

RM 35 ELT 105



Armrests are optional

RM 450 113



RM 450 113 Specifications	
Suspension type	Height adjustment
Metal seatpan case	Large thin cushion
Water drain hole	Optional
Height adjustment	60mm
Weight adjustment	60kg - 130kg
Slide stroke	160mm
Shock absorber	Single tube thin absorber
Seatpan cushion	Replaceable
Fixation	Universal

Accessories	
Seatbelt	Autoroll / static
Armrest	Nonadjustable
Cover	Leatherette / Cloth

CLOTH PVC

RM 450 110



RM 450 110 Specifications	
Multiangle suspension	3°-13°-24°-26° options
Suspension type	Spring and hydraulic
Metal seatpan case	Large thin cushion
Water drain hole	Optional
Weight adjustment	60kg - 130kg
Slide stroke	160mm
Shock absorber	Single tube thin absorber
Seatpan cushion	Replaceable
Fixation	Universal

Accessories	
Seatbelt	Autoroll / static
Armrest	Nonadjustable
Cover	Leatherette / Cloth

CLOTH PVC

RM 465 113



Seat belt is optional

RM 465 113 Specifications	
Suspension type	Height adjustment
Metal seatpan case	Large thick cushion
Water drain hole	Optional
Height adjustment	60mm
Weight adjustment	60kg - 130kg
Slide stroke	160mm
Shock absorber	Single tube thin absorber
Seatpan cushion	Replaceable
Fixation	Universal

Accessories	
Seatbelt	Autoroll / static
Armrest	Nonadjustable
Cover	Leatherette / Cloth

CLOTH PVC

RM 465 110



Seat belt is optional

RM 465 110 Specifications	
Multiangle suspension	3°-13°-24°-26° options
Suspension type	Spring and hydraulic
Metal seatpan case	Large thick cushion
Water drain hole	Optional
Weight adjustment	60kg - 130kg
Slide stroke	160mm
Shock absorber	Single tube thin absorber
Seatpan cushion	Replaceable
Fixation	Universal

Accessories	
Seatbelt	Autoroll / static
Armrest	Nonadjustable
Cover	Leatherette / Cloth

CLOTH PVC

RM 460 113



RM 460 113 Specifications	
Suspension type	Height adjustment
Metal seatpan case	Large thin cushion
Water drain hole	Optional
Height adjustment	60mm
Weight adjustment	60kg - 130kg
Slide stroke	160mm
Shock absorber	Single tube thin absorber
Seatpan cushion	Replaceable
Fixation	Universal

Accessories	
Seatbelt	Autoroll / static
Armrest	Nonadjustable
Cover	Leatherette / Cloth

CLOTH PVC

RM 460 110



RM 460 110 Specifications	
Multiangle suspension	3°-13°-24°-26° options
Suspension type	Spring and hydraulic
Metal seatpan case	Large thin cushion
Water drain hole	Optional
Weight adjustment	60kg - 130kg
Slide stroke	160mm
Shock absorber	Single tube thin absorber
Seatpan cushion	Replaceable
Fixation	Universal

RM 80 102

Accessories	
Seatbelt	Autoroll / static
Armrest	Nonadjustable
Cover	Leatherette / Cloth

CLOTH PVC

RM 80 102 Specifications	
Fixed suspension	Fixed angle with fixation
Cushion mounting options	2 points 30mm distance to up
Backrest mounting options	2 points 30mm distance to front
Suspension type	Spring and hydraulic
Weight adjustment	60kg - 130kg
Slide stroke	160mm
Shock absorber	Single tube thin absorber
Backrest & base cushion	Replaceable
Fixation	Universal



RM 80 123

Accessories	
Seatbelt	Autoroll / static
Armrest	Nonadjustable
Cover	Leatherette / Cloth

CLOTH PVC

RM 80 123 Specifications	
Suspension type	Height adjustment
Cushion mounting options	2 points 30mm distance to up
Backrest mounting options	2 points 30mm distance to front
Suspension type	Spring and hydraulic
Weight adjustment	60kg - 130kg
Slide stroke	160mm
Shock absorber	Single tube thin absorber
Backrest & base cushion	Replaceable
Fixation	Universal



RM 80 107



Seat belt and armrests are optional

RM 80 107 Specifications	
Suspension type	Weight adjustment (strong)
Cushion mounting options	2 points 30mm distance to up
Backrest mounting options	2 points 30mm distance to front
Suspension type	Spring and hydraulic
Weight adjustment	60kg - 180kg
Slide stroke	160mm
Shock absorber	Single tube thin absorber
Backrest & base cushion	Replaceable
Fixation	Universal

Accessories	
Seatbelt	Autoroll / static
Armrest	Adjustable / Nonadjustable
Headrest	Nonadjustable
Cover	Leatherette / Cloth

CLOTH PVC

RM 80 103



Armrests are optional

RM 80 103 Specifications	
Suspension type	Weight adjustment
Cushion mounting options	2 points 30mm distance to up
Backrest mounting options	2 points 30mm distance to front
Suspension type	Spring and hydraulic
Weight adjustment	60kg - 130kg
Slide stroke	160mm
Shock absorber	Single tube thin absorber
Backrest & base cushion	Replaceable
Fixation	Universal

Accessories	
Seatbelt	Autoroll / static
Armrest	Nonadjustable
Headrest	Nonadjustable
Cover	Leatherette / Cloth

CLOTH PVC

RM 80 105



RM 80 105 Specifications	
Multiangle suspension	3°-13°-24°-26° options
Cushion mounting options	2 points 30mm distance to up
Backrest mounting options	2 points 30mm distance to front
Suspension type	Spring and hydraulic
Weight adjustment	60kg - 130kg
Slide stroke	160mm
Shock absorber	Single tube thin absorber
Backrest & base cushion	Replaceable
Fixation	Universal

Accessories	
Seatbelt	Autoroll / static
Armrest	Nonadjustable
Headrest	Nonadjustable
Cover	Leatherette / Cloth

CLOTH PVC

RM 80 106 JD



RM 80 106 JD Specifications	
Fixed suspension	Fixed angle with fixation
Cushion mounting options	2 points 30mm distance to up
Backrest mounting options	2 points 30mm distance to front
Suspension type	Spring and hydraulic
Weight adjustment	60kg - 130kg
Slide stroke	160mm
Shock absorber	Single tube thin absorber
Backrest & base cushion	Replaceable
Fixation	Universal

Accessories	
Seatbelt	Autoroll / static
Armrest	Nonadjustable
Headrest	Nonadjustable
Cover	Leatherette / Cloth

CLOTH PVC

Accessories	
Seatbelt	Autoroll / static
Armrest	Nonadjustable
Cover	Leatherette / Cloth

CLOTH PVC

RM 81 105 Specifications	
Multiangle suspension	3°-13°-24°-26° options
Cushion mounting options	2 points 30mm distance to up
Backrest mounting options	2 points 30mm distance to front
Suspension type	Spring and hydraulic
Weight adjustment	60kg - 130kg
Slide stroke	160mm
Shock absorber	Single tube thin absorber
Backrest & base cushion	Replaceable
Fixation	Universal

RM 81 105



Accessories	
Seatbelt	Autoroll / static
Armrest	Nonadjustable
Cover	Leatherette / Cloth

CLOTH PVC

RM 81 102 Specifications	
Fixed suspension	Fixed angle with fixation
Cushion mounting options	2 points 30mm distance to up
Backrest mounting options	2 points 30mm distance to front
Suspension type	Spring and hydraulic
Weight adjustment	60kg - 130kg
Slide stroke	160mm
Shock absorber	Single tube thin absorber
Backrest & base cushion	Replaceable
Fixation	Universal

RM 81 102



RM 420



PVC

RM 420 Specifications

Metal Case	Vacuumed soft cushion
Slide stroke (Optional)	160mm
Seatbelt	Autoroll / static
Safety Switch	2 pads / 3 pads / Button type
Fixation	Universal

RM 400



RM 400 Specifications

Metal Case	Polyurethane cushion
Slide stroke (Optional)	160mm
Fixation	Universal

RM 422



PVC

RM 422 Specifications

Metal Case	Vacuumed soft cushion
Water drain hole	One hole in the middle
Fixation	Universal

RM 430



PVC

RM 430 Specifications

Metal Case	Vacuumed soft cushion
Water drain hole	Two holes in the middle
Fixation	Universal

RM 450



PVC

RM 450 / 460 Specifications

Metal Case	Vacuumed soft cushion
Slide stroke (Optional)	160mm
Seatbelt	Autoroll / static
Safety Switch	2 pads / 3 pads / Button type
Water drain hole	One hole in the middle
Fixation	Universal

RM 460



PVC

RM 465



PVC

RM 465 / 600 Specifications

Metal Case	Vacuumed soft cushion
Slide stroke (Optional)	160mm
Seatbelt	Autoroll / static
Safety Switch	2 pads / 3 pads / Button type
Water drain hole	One hole in the middle
Fixation	Universal

RM 600



PVC

RM 700-98



PVC

RM 700-98/99 Specifications

Metal Case	Vacuumed soft cushion
Slide stroke (Optional)	160mm
Seatbelt	Autoroll / static
Safety Switch	2 pads / 3 pads / Button type
Water drain hole	Model 99 have hole in the middle
Fixation	Universal

RM 700-99



PVC

BACKRESTS



Rrm 20



Rrm 62



Rrm 80



Rrm 30



Rrm 35

BASE CUSHIONS



Brm 20/30 Univ.



Brm 62/64




Brm 300 Elite




Brm 80/81

Cloth Options



Leatherette Options



ARMRESTS



Adjustable Armrest



Forklift Armrest



Pletina Armrest



Short Grm
Arm & Brc



Long Grm
Arm & Brc



Fixed Grm
Arm & Brc



Fixed Grm
Arm & Brc

HEADRESTS



Hr Rm 50-60



Hr Rm 80




Hr Rm 81



Adj. Headrest

SAFETY ELEMENTS



2 Pads Switch



Static Seatbelt



Rm 440



3 Pads Switch



Button Switch



Button Switch



Autoroll Seatbell

OTHER PARTS



Shock Abosrber Rm 200



Spring Rm 100 long



Rotating Mechanism



Shock Abosrber Rm 210



Spring Rm 100 wide





Seat Slide



Air Spring Rm 210

